



Dell Vostro V13 Battery Replacement

This guide will show you how to remove and replace the battery of your Dell Vostro V13 Laptop.

Written By: Patrick Swaney



INTRODUCTION

Batteries slowly lose their ability to hold charge over time. If your battery will not charge or hold a charge, please refer to the [Troubleshooting Page](#). If the problem persists, replace the battery by following the steps below. Make sure your laptop is turned off before starting this guide.



TOOLS:


- [Phillips #1 Screwdriver](#) (1)
- [iFixit Opening Tools](#) (1)



PARTS:

- [Dell Vostro V13 Laptop Battery](#) (1)

Step 1 — Back Cover




 Back up the memory to an external drive and power off the laptop before starting.

- Flip the laptop over so the vents are facing you.
- Remove the six 5.0 mm Phillips #1 screws using the magnetic driver.
- Remove the two 5.0 mm Phillips #1 screws on the back side of the laptop.

Step 2



- Slide out the SD and MicroSD holders.


 If you are having trouble sliding them out, use the plastic opening tool.

Step 3




- Slide the plastic opening tool around the perimeter of the laptop until the cover pops off.
- Pull the back cover off.

Step 4




- Remove the three black 3.9 mm Phillips #1 screws holding the battery in place.

Step 5




- Flip up the clip of the ribbon connector.
- Pull the strip out to disconnect the battery.

Step 6



- Remove the battery.
- ❗ Removing the battery allows you to work safely.

Step 7 — Battery



- Replace with the new battery.

To reassemble your device, follow these instructions in reverse order.